




Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX-RELAX ECO PV/PB PAR-V T5 A8 IP20



UX-RELAX ECO PV PAR-V T5 A8L1	2x28W	ECG A2	295x1195x58	€ 95
UX-RELAX ECO PV PAR-V T5 A8L1	2x35W	ECG A2	295x1495x58	€ 110
UX-RELAX ECO PB PAR-V T5 A8L1	2x28W	ECG A2	318x1216x58	€ 95
UX-RELAX ECO PB PAR-V T5 A8L1	2x35W	ECG A2	318x1516x58	€ 110

Recessed luminaire with parabolic louvre suitable for mouting into T-bar ceiling grids and into plasterboard ceilings.

HOUSING:

Housing made of sheet steel of the thickness 0.6 mm, electrostatic powder coat finish – basic shade RAL 9003.

LOUVRE:

Double parabolic louvre CAT2 louvre (L65<1000 cd/m²)

ELECTRICAL COMPONENTS:


Electronic control gear: Helvar, class EEI=A2


Lampholders: AAG Stucchi Ptot=60W

ELECTRICAL COMPONENTS:

Electronic control gear: Helvar, class EEI=A2

Lampholders: AAG Stucchi Ptot=60W





Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX RELAX ECO PV-PAR-V T5 A5L1



UX-RELAX ECO PV PAR-V T5 A5L1	4x14W	ECG A2	595x595x64	€ 125
UX-RELAX ECO PV PAR-V T5 A5L1	4x24W	ECG A2	595x595x64	€ 125

Recessed luminaire with parabolic louvre suitable for mouting into T-bar ceiling grids and into plasterboard ceilings.

HOUSING:

Housing made of sheet steel of the thickness 0.6 mm, electrostatic powder coat finish – basic shade RAL 9003.


LOUVRE:


Double parabolic louvre CAT2 louvre (L65<1000 cd/m²)

ELECTRICAL COMPONENTS:

Electronic control gear: Helvar, class EEI=A2

Lampholders: AAG Stucchi Ptot=60W





Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX-RELAX ECO PV PAR-V T5 A1L1



UX-RELAX ECO PV PAR-V T5 A1L1	4x14W	ECG A2	595x595x64	€ 130
UX-RELAX ECO PV PAR-V T5 A1L1	4x24W	ECG A2	595x595x64	€ 130
UX-RELAX ECO PB PAR-V T5 A1L1	4x14W	ECG A2	622x622x64	€ 130
UX-RELAX ECO PB PAR-V T5 A1L1	4x24W	ECG A2	622x622x64	€ 130

Recessed luminaire with parabolic louvre suitable for mounting into T-bar ceiling grids and into plasterboard ceilings.

HOUSING:


Housing made of sheet steel of the thickness 0.6 mm, electrostatic powder coat finish – basic shade RAL 9003.

LOUVRE:

Double parabolic louvre CAT2 louvre (L65<1000 cd/m²)

ELECTRICAL COMPONENTS:

Electronic control gear: Helvar, class EEI=A2






Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX-RELAX PV.EC/PB.EC T8 LA IP20



UX-Relax PV.E LA T8	2x36W	ECG A2	295x595x72	€ 60
UX-Relax PV.EC LA T8	4x18W	CCG B2	595x595x72	€ 60
UX-Relax PB.E LA T8	2x36W	ECG A2	320x1220x72	€ 60
UX-Relax PB.EC LA T8	4x18W	ECG A2	622x622x72	€ 60

Recessed luminaire with aluminium louvre suitable for mouting into T-bar ceiling grids.

HOUSING:


White prepainted steel, 0.5 mm thickness

LOUVRE:


Polished aluminium louvre with matt tree profile cross blades

Electronic control gear: Helvar, class EEI=A2

Lampholders: AAG Stucchi Ptot=88W



MOUNTING






Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX-RELAX PV.E/PB.E PAR T8



Recessed luminaire with parabolic louvre suitable for mounting into T-bar ceiling grids.


UX-RELAX PV.E PAR T8	2x36W	ECG A2	295x1195x92	€ 70
UX-RELAX PB.E PAR T8	2x36W	ECG A2	320x1220x92	€ 70
UX-RELAX PV.E PAR T8	4x18W	ECG A2	595x595x92	€ 70
UX-RELAX PB.E PAR T8	4x18W	ECG A2	622x622x92	€ 70

HOUSING:

White prepainted steel, 0.5 mm thickness electrostatic powder coat finish – basic shade RAL 9003.

Electronic control gear: Helvar, class EEI=A2

Lampholders: AAG Stucchi Ptot=88W



MOUNTING





Light makes the difference

HVP Lighting nv - Waregemstraat 200 - 8540 Deerlijk - T 056 72 97 61 - F 056 72 61 53 - info@hvplighting.com - www.hvplighting.com

UX-RELAX PV/PB OPAL/PRISMA T8



UX-Relax PV.EC OPAL T8	4x18W	ECG A2	595x595x72	€ 70
UX-Relax PV.EC PRISMA T8	4x18W	ECG A2	595x595x72	€ 70
UX-Relax PB.EC OPAL T8	4x18W	ECG A2	622x622x72	€ 70
UX-Relax PB.EC PRISMA T8	4x18W	ECG A2	622x622x72	€ 70

Recessed luminaire with prismatic diffuser suitable for mouting into T-bar ceiling grids.

HOUSING:


White pre-painted steel, 0.5 mm thickness.

OPTIC:

Prismatic PMMA diffuser, frame made of sheet steel, painted by electrostatic powder coat – basic shade RAL 9003.

Electronic control gear: Helvar, class EEI=A2

Lampholders: AAG Stucchi Ptot=88W



MOUNTING

